

TOWA


**LABEL
APPLICATOR**

APN Series **APF** Series

AP Series

Built-in Mech-Sensor

Precision technology creates
a lineup of versatile Label Applicators
that meet a wide range
of label and sticker needs!




APN Series



A Mech-Sensor combines with a sensor that automatically detects labels of different strokes to eliminate the need for manual alignment when you load labels.

- For pre-printed general roll labels. No special (punched or slit) labels or separators required.
- Supports use of label size from 18 x 20mm up to 60 x 100mm.



MODEL	LABEL GAP(mm)	LABEL SIZE(mm)		MAX. OUTSIDE DIAMETER(mm)
		STROKE	WIDTH	
APN-30	2-3	18-60	20-30	100
APN-60		25-60		
APN-100		50-100		

The Mech-Sensor catches the label and automatically detects the stroke for smooth feeding.

APF Series



A new slidable Mech-Sensor provides support for round, oval, and other non-rectangular shape labels.


- For eye-catching labels of various shapes that appeal to customers.
- Supports use of the label size from 20 x 20mm up to 60 x 100mm. For pre-printed general roll labels. No special (punched or slit) labels or separators required.



Slide The Mech-Sensor to the left or right until it is in the center of the label.

MODEL	LABEL GAP(mm)	LABEL SIZE(mm)		MAX. OUTSIDE DIAMETER(mm)
		STROKE	WIDTH	
APF-30	2-3	20-60	20-30	100
APF-60		20-60		
APF-100		20-100		

APN10



The smaller the label it is when you dispense, the more troublesome it becomes.... It assures high performance for small labels.

The new type of a premium tool, APN10-30 assures high performance for small labels.

- For pre-printed general roll labels. No special (punched or slit) labels or separators required.
- Supports use of label size from 10 x 30mm up to 60 x 30mm.

MODEL	LABEL GAP(mm)	LABEL SIZE(mm)		MAX. OUTSIDE DIAMETER(mm)
		STROKE	WIDTH	
APN10-30	2-3	10-60	20-30	100

Notice

- Labels must be more than 50µm thick for all models.
- Some types of film, synthetic paper, and other special labels may not be supported.
- Please ask our distributor for details before using special labels.
- We reserve the right to change specifications without notice for improvement.

©JP PAT. 2708677, 2708680

TOWA CO.,LTD.

Ginza YK Bldg., #10-9, Ginza 5-chome, Chuo-ku, Tokyo 104-0061, Japan
 Tel: +81-3-3572-9621 Fax: +81-3-3572-9620
 http://www.towa.jp/export/ e-mail: export@towa-ltd.co.jp

TOWA

LABEL APPLICATOR APN10


APD

Series

The new type of a premium tool.

The smaller the label it is when you dispense,
the more troublesome it becomes.....

It assures high performance for small labels.



CLOSE
1. SQUEEZE THE LEVER TILL STOPS.
2. RELEASE THE LEVER PERFECTLY.

 Barcodes.com.au

Phone: 1300 800 999
Email: sales@barcodes.com.au
Website: www.barcodes.com.au